



# Museo de Zamora. Palacio del Cordón

Culture — Museums / Exhibition rooms



## Street

Plaza de Santa Lucía, 2 49002  
Zamora, Zamora (Castilla y León)  
Spain

## Contact

Tel 980 516 150

<http://www.museocastillayleon.jcyl.es>

## Created by

Daniel Carrasco 06/10/2017

## Last modification by

Rural 12/11/2018



The accessibility of this tourism resource has been analyzed by experts

## General Information

El Museo de Zamora se ubica en el solar del antiguo Palacio de Cordón, del que se mantiene una crujía, junto a la que se ha construido un nuevo edificio de módulo cúbico en el que se albergan sus fondos. Consta de dos secciones: la de Arqueología – planta primera y entreplanta- recorre la historia de la provincia, desde el Paleolítico a la Edad Moderna, y la de Bellas Artes – segunda planta- muestra fondos artísticos, escultóricos y principalmente pictóricos, entre los siglos XIV y XX; completa el itinerario expositivo la llamada Sala de la Ciudad, ubicada también en la primera planta, con elementos significativos de la evolución histórica de la propia ciudad de Zamora. La visita dentro del museo es accesible para personas con discapacidad física. El museo tiene rampas y ascensores.

## Entrance

Entrance: Inclined plane / ramp

### Ramp information

The slope makes the ramp : Can be used with help from another person

✓ Name of the tourist resource clearly visible and legible

The entranceway analysed is: The main one

Width of the entrance door: Greater than or equal to 78 cm


## Customer Service Area

- ✓ Customer service desk

### Characteristics

- ✓ Near the entrance

## Inside circulation



Wheelchair circulation: Total

Adequate lighting: No

- ✓ Without elements that can suppose an obstacle for a person with a visual disability

Signposting: Yes

### Characteristics

Signs: With highly embossed texts

- ✓ Establishment with more than one floor

### Vertical itinerary

Transit between floors via: Steps / stairs, lift / lifts

#### Lift information

Dimensions of the cubicle: Big

- ✓ With visual information

Lift buttons: Highly embossed

- ✓ Lift buttons at a suitable height for wheelchair users

#### Stair information

Number of steps: More than 3

Height of the step in cm: 15

- ✓ Hand rail

## Adapted toilet in common areas

- ✓ Toilet suitable for PRM

### Characteristics



Access without changes in floor level: Yes

Door width: Less than 78 cm

Door opening: Outward

Free turning space ? 150 cm of diameter: No

Clear space to transfer to the toilet: Yes

### Characteristics

The space is at least 80 cm or greater: Right-hand side

Height of the toilet seat: Standard (between 40 and 45 cm)

It has support bar(s): Yes

### Information

Toilet grab bars: Right-hand side

The bars on the right-hand side are: Folding

Sink: With mixer tap

## Services and amenities

Adapted visits or activities for people with disabilities: Yes

### Characteristics

Adapted visits or activities for people with disabilities: Cognitive, visual

The furnishings facilitate the approach of wheelchair users: No

Magnetic induction loop: No

- ✓ Audioguides
- ✓ Customer service staff

### Staff training

Personal with knowledge of Sign Language: No

## Outside areas



Sidewalks: Paving stones

Uniform and anti-slip pavement: Yes